This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. **(Currently Amended)** A compound of the formula



(I),

in which

R^1 is C_1-C_8-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl or C_3-C_8-cycloalkyl, where C_1-C_8-alkyl is optionally substituted by oxo, and

where C_1-C_8-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl and C_3-C_8-cycloalkyl are optionally substituted by up to 3 radicals independently of one another selected from the group of C_1-C_6-alkyl, C_1-C_6-alkoxy, hydroxycarbonyl, cyano, amino, nitro, hydroxy, C_1-C_6-alkylamino, halogen, trifluoromethyl, trifluoromethoxy,
C_6-C_{10}-arylcarbonylamino, C_1-C_6-alkylcarbonylamino, C_1-C_6-alkylamino-carbonyl, C_1-C_6-alkoxycarbonyl, C_6-C_{10}-arylaminocarbonyl, heteroarylamino-carbonyl, heteroarylcarbonylamino, C_1-C_6-alkylsulphonylamino, C_1-C_6-alkylsulphonyl,
C_1-C_6-alkylthio,

where

C_1-C_6-alkyl, C_1-C_6-alkoxy, C_1-C_6-alkylamino, C_6-C_{10}-arylcarbonylamino, C_1-C_6-alkylcarbonylamino, C_1-C_6-alkylaminocarbonyl, C_1-C_6-alkoxy-carbonyl,
C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl,

heteroarylcarbonylamino, C_1-C_6-alkylsulphonylamino, C_1-C_6-alkylsulphonyl and C_1-C_6-alkylthio are optionally substituted by one to three radicals independently of one another selected from the group of hydroxy, cyano, halogen, trifluoromethyl, trifluoromethoxy, hydroxycarbonyl and a group of the formula $-NR^3R^4$,

where

R^3 and R^4 are independently of one another hydrogen or C_1-C_6-alkyl,

or

R^3 and R^4 together with the nitrogen atom to which they are bonded are 5- to 8-membered heterocyclyl,

R^2 is phenyl or heteroaryl, where phenyl is substituted by 1 to 3 radicals and heteroaryl is optionally substituted by 1 to 3 radicals in each case independently of one another selected from the group of C_1-C_6-alkyl, C_1-C_6-alkoxy, hydroxycarbonyl, cyano, trifluoromethyl, trifluoromethoxy, amino, nitro, hydroxy, C_1-C_6-alkylamino, halogen, C_6-C_{10}-arylcarbonylamino, C_1-C_6-alkylcarbonylamino, C_1-C_6-alkylaminocarbonyl, C_1-C_6-alkoxycarbonyl, C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl, heteroarylcarbonylamino, C_1-C_6-alkylsulphonylamino, C_1-C_6-alkylsulphonyl and C_1-C_6-alkylthio,

where C_1-C_6-alkyl, C_1-C_6-alkoxy, C_1-C_6-alkylamino, C_6-C_{10}-arylcarbonylamino, C_1-C_6-alkylcarbonylamino, C_1-C_6-alkylaminocarbonyl, C_1-C_6-alkoxycarbonyl, C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl, heteroarylcarbonylamino, C_1-C_6-alkylsulphonylamino, C_1-C_6-alkylsulphonyl and C_1-C_6-alkylthio are optionally substituted by one to three radicals independently of one another selected from the group of hydroxy, cyano, halogen, trifluoromethyl, trifluoromethoxy, hydroxycarbonyl and a group of the formula $-NR^3R^4$,

where

R^3 and R^4 have the meanings indicated above,

or ~~salts, solvates and/or solvates of the salts~~ a salt, solvate or solvate of a salt thereof.

2. **(Currently Amended)** The compound of ~~Claim~~ claim 1, where

R^1 is C_1-C_8-alkyl, C_2-C_6-alkenyl, C_2-C_6-alkynyl or C_3-C_8-cycloalkyl, which are optionally substituted by up to 3 radicals independently of one another selected from the group of C_1-C_6-alkyl, C_1-C_6-alkoxy, hydroxycarbonyl, cyano, amino, nitro, hydroxy, C_1-C_6-alkylamino, halogen, C_6-C_{10}-aryl-carbonylamino, C_1-C_6-alkylcarbonylamino, C_1-C_6-alkylaminocarbonyl, C_1-C_6-alkoxycarbonyl, C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl, heteroarylcarbonylamino, C_1-C_6-alkylsulphonylamino, C_1-C_6-alkylsulphonyl and C_1-C_6-alkylthio,

where C_1-C_6-alkyl, C_1-C_6-alkoxy, C_1-C_6-alkylamino, C_6-C_{10}-arylcarbonyl-amino, C_1-C_6-alkylcarbonylamino, C_1-C_6-alkylaminocarbonyl, C_1-C_6-alkoxy-carbonyl,
C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl,
heteroarylcarbonylamino,
C_1-C_6-alkylsulphonylamino, C_1-C_6-alkylsulphonyl and C_1-C_6-alkylthio are optionally substituted by a radical selected from the group of hydroxy, cyano, halogen, hydroxycarbonyl and a group of the formula $-NR^3R^4$,

where

R^3 and R^4 are independently of one another hydrogen or C_1-C_6-alkyl,

or

R^3 and R^4 together with the nitrogen atom to which they are bonded are 5- to 8-membered heterocyclyl,

R^2 is phenyl or heteroaryl, where phenyl is substituted by 1 to 3 radicals and heteroaryl is optionally substituted by 1 to 3 radicals in each case independently of one another selected from the group of C_1-C_6-alkyl, C_1-C_6-alkoxy, hydroxycarbonyl, cyano, trifluoromethyl, amino, nitro, hydroxy, C_1-

C_6-alkylamino, halogen, C_6-C_{10}-arylcarbonylamino, C_1-C_6-alkylcarbonylamino, C_1-C_6-alkylaminocarbonyl, C_1-C_6-alkoxycarbonyl, C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl, heteroarylcarbonylamino, C_1-C_6-alkylsulphonylamino, C_1-C_6-alkylsulphonyl, C_1-C_6-alkylthio,

where C_1-C_6-alkyl, C_1-C_6-alkoxy, C_1-C_6-alkylamino, C_6-C_{10}-arylcarbonylamino, C_1-C_6-alkylcarbonylamino, C_1-C_6-alkylaminocarbonyl, C_1-C_6-alkoxycarbonyl, C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl, heteroarylcarbonylamino, C_1-C_6-alkylsulphonylamino, C_1-C_6-alkylsulphonyl and C_1-C_6-alkylthio are optionally substituted by a radical selected from the group of hydroxy, cyano, halogen, hydroxycarbonyl and a group of formula $-NR^3R^4$,

where

R^3 and R^4 have the meanings indicated above,

or ~~salts, solvates and/or solvates of the salts~~ a salt, solvate or solvate of a salt thereof.

3. **(Currently Amended)** A compound of ~~Claim~~ claim 1, where

R^1 is C_1-C_5-alkyl or C_3-C_6-cycloalkyl, which are optionally substituted by up to 3 radicals independently of one another selected from the group of C_1-C_4-alkyl, C_1-C_4-alkoxy, hydroxycarbonyl, cyano, amino, hydroxy, C_1-C_4-alkylamino, trifluoromethyl, fluorine, chlorine, bromine, C_6-C_{10}-arylcarbonylamino, C_1-C_4-alkylcarbonylamino, C_1-C_4-alkylaminocarbonyl, C_1-C_4-alkoxycarbonyl, C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl, heteroarylcarbonylamino, C_1-C_4-alkylsulphonylamino, C_1-C_4-alkylsulphonyl, C_1-C_4-alkylthio,

where C_1-C_4-alkyl and C_1-C_4-alkoxy are optionally substituted by a radical selected from the group of hydroxy, cyano, fluorine, chlorine, bromine, hydroxycarbonyl and a group of the formula $-NR^3R^4$,

where

R^3 and R^4 are independently hydrogen or C_1-C_4-alkyl,

or

R^3 and R^4 together with the nitrogen atom to which they are bonded are 5- to 6-membered heterocyclyl,

R^2 is phenyl, pyrimidyl, pyridyl N-oxide or pyridyl, where phenyl is substituted by 1 to 3 radicals and pyrimidyl, pyridyl N-oxide and pyridyl are optionally substituted by 1 to 3 radicals in each case independently of one another selected from the group of C_1-C_4-alkyl, C_1-C_4-alkoxy, hydroxycarbonyl, cyano, trifluoromethyl, amino, hydroxy, C_1-C_4-alkylamino, fluorine, chlorine, bromine, C_6-C_{10}-arylcarbonylamino, C_1-C_4-alkylcarbonylamino, C_1-C_4-alkylaminocarbonyl, C_1-C_4-alkoxycarbonyl, C_6-C_{10}-arylaminocarbonyl, heteroarylaminocarbonyl, heteroarylcarbonylamino, C_1-C_4-alkylsulphonylamino, C_1-C_4-alkylsulphonyl, and C_1-C_4-alkylthio,

where C_1-C_4-alkyl and C_1-C_4-alkoxy are optionally substituted by a radical selected from the group of hydroxy, cyano, fluorine, chlorine, bromine, hydroxycarbonyl and a group of the formula $-NR^3R^4$,

where

R^3 and R^4 have the meanings indicated in ~~Claim~~ claim 1,

or ~~salts, solvates and/or solvates of the salts~~ a salt, solvate or solvate of a salt thereof.

4. **(Currently Amended)** A compound of ~~Claim~~ claim 1, where

R^1 has the meanings indicated in ~~Claim~~ claim 1, and

R^2 is phenyl, pyridyl N-oxide or pyridyl, where phenyl is substituted by 1 to 3 radicals and pyridyl and pyridyl N-oxide are optionally substituted by 1 to 3 radicals in each case independently of one another selected from the group of

methyl, ethyl, 2-propyl, trifluoromethyl, methoxy, ethoxy, fluorine and chlorine,

or ~~salts, solvates and/or solvates of the salts~~ a salt, solvate or solvate of a salt thereof.

5. **(Currently Amended)** A compound ~~Claim~~ of claim 1, where

R^1 is C_1-C_5-alkyl or C_5-C_6-cycloalkyl, which are optionally substituted by up to 3 radicals independently of one another selected from the group of C_1-C_4-alkyl, trifluoromethyl, fluorine, hydroxy, phenylcarbonylamino, C_1-C_4-alkyl-carbonylamino, C_1-C_4-alkylaminocarbonyl or phenylaminocarbonyl, and

R^2 is phenyl, pyridyl N-oxide or pyridyl, where phenyl is substituted by 1 to 3 radicals and pyridyl and pyridyl N-oxide are optionally substituted by 1 to 3 radicals in each case independently of one another selected from the group of methyl, ethyl, 2-propyl, trifluoromethyl, methoxy, ethoxy, fluorine and chlorine,

or ~~salts, solvates and/or solvates of the salts~~ a salt, solvate or solvate of a salt thereof.

6. **(Currently Amended)** A compound ~~Claim~~ of claim 1, where

R^1 is C_1-C_5-alkyl or C_5-C_6-cycloalkyl, which are optionally substituted by up to 3 radicals independently of one another selected from the group of C_1-C_4-alkyl, fluorine, trifluoromethyl, hydroxy, phenylcarbonylamino, C_1-C_4-alkyl-carbonylamino, C_1-C_4-alkylaminocarbonyl or phenylaminocarbonyl, and

R^2 is phenyl, pyridyl N-oxide or pyridyl, where phenyl is substituted by one radical and pyridyl and pyridyl N-oxide are optionally substituted by one radical in each case independently of one another selected from the group of methyl, ethyl, 2-propyl, trifluoromethyl, methoxy, ethoxy, fluorine and chlorine,

or ~~salts, solvates and/or solvates of the salts~~ a salt, solvate or solvate of a salt thereof.

7. **(Withdrawn – Currently Amended)** ~~Process~~ A process for preparing ~~compounds~~ a compound according to ~~Claim~~ claim 1, ~~characterized in that~~ comprising:

[A] converting a compound ~~compounds~~ of the formula



(II),

in which

R^2 has the meanings indicated in ~~Claim~~ claim 1,

~~are converted~~ by reaction with a compound of the formula

(IIIa),

in which R^1 has the meanings indicated in ~~Claim~~ claim 1,

and

Z is chlorine or bromine,

in an inert solvent and in the presence of a base, initially into ~~compounds~~ a compound of the formula



(IV),

in which

R^1 and R^2 have the meanings indicated in ~~Claim~~ claim 1,

and then ~~cyclized~~ cyclizing in an inert solvent in the presence of a base to ~~compounds~~ a compound of the formula (I),

or

[B] reacting a compound ~~compounds~~ of the formula (II) ~~are reacted~~ with a compound of the formula



(IIIb),

in which

R^1 has the meanings indicated in ~~Claim~~ claim 1,

and

R^5 is methyl or ethyl,

in an inert solvent and in the presence of a base, with direct cyclization to a compound of formula (I),

or

[C] converting a compound ~~compounds~~ of the formula

(V),

in which

R^2 has the meanings indicated in ~~Claim~~ claim 1,

~~are converted~~ initially by reaction with a compound of the formula (IIIa) in an inert solvent and in the presence of a base into ~~compounds~~ a compound of the formula



(VI),

in which

R^1 and R^2 have the meanings indicated in ~~Claim~~ claim 1,

and ~~the latter are cyclized~~ cyclizing the compound for formula (VI) in a second step in an inert solvent and in the presence of a base and of an oxidizing agent to a compound of (I),

and the resulting compounds of the formula (I) are where appropriate reacted with the appropriate (i) solvents and/or (ii) bases or acids to give ~~their solvates, salts and/or solvates of the salts~~ a salt, solvate or solvate of a salt thereof.

8. **(Cancelled)**

9. **(Currently Amended)** A pharmaceutical composition comprising at least one ~~of the compounds~~ compound of any one of ~~Claims~~ claims 1 to 6 and at least one pharmaceutically acceptable, essentially non-toxic carrier or excipient.

10. **(Cancelled)**

11. **(Cancelled)**

12. **(Cancelled)**

13. **(Withdrawn – Currently Amended)** A method for the treatment of impairments of perception, concentration, learning and/or memory in ~~humans or animals~~ a human or animal comprising administering an effective amount of a compound of any one of ~~Claims~~ claims 1 to 6 to the human or animal.

14. (**Withdrawn**) The method according to Claim 13, where the impairment is a consequence of Alzheimer's disease.